

3 PTP PREMIUM

ECONOMY


ALUMINIUM

CABLE

STEEL



**A WIDE RANGE OF
ENERGY ISOLATION
LOCKOUT TAGOUT PADLOCKS**





LOTO-LOK[®]

3PTP PLASTIC SAFETY LOCKOUT PADLOCKS



3PTP[®] 3 POINT TRACEABILITY PADLOCK





The **DUO 2-in-1 non-conductive** shock, rust & weather proof nylon shackle with a Stainless Steel 304 inner core has higher cut resistance than traditional plastic shackles which can be easily destroyed.



NEW!

DUO 2-in-1

NON-CONDUCTIVE SHACKLE

COMBINES

THE STRENGTH OF
STAINLESS STEEL

&

DI-ELECTRIC PROPERTIES
OF NYLON

**Suitable for both Electrical
& Mechanical LOTO**



LOTO-LOK®



BODY: Tough Nylon PA66 construction. Non-spark, non-conductive, rust & weather body. Stands upto drops. Withstands upto 250 Deg. C temperature, UV & chemical resistant. Optimal in erosive & corrosive environment. Ideal for long term outdoor LOTO.

Name, Numbers or logo customization available.

Cylinder: 6 pin pick resist cylinder, upto 5000 keyed Different combinations in each color 40mm and 80mm shackle lengths.


Glow-in-The-Dark photo luminescent sticker enhances visibility in dark or low light conditions.

Eight colors: Red, Blue, Yellow, Green, Orange, Black, Purple & White.

Key Retaining feature ensures keys cannot be removed until padlocks are closed.

Shackle Material: SS304 (rust and cut resistant) OR Non-Conductive shackle.

KEYS: 2 Unique keys with every Keyed Different (KD) padlock & 1 key with every Keyed Alike (KA) Padlock.



REGULAR SHACKLE DIMENSIONS

Size (mm)	Body Width (mm)	Body Thk. (mm)	Body Length (mm)	Total Height (mm)	Shackle Height (mm)	Shackle Dia. (mm)
40mm	40.00	20.00	48.20	94.20	40.00	5.00

LONG SHACKLE DIMENSIONS

Size (mm)	Body Width (mm)	Body Thk. (mm)	Body Length (mm)	Total Height (mm)	Shackle Height (mm)	Shackle Dia. (mm)
40mm	40.00	20.00	48.20	134.20	80.00	5.00

3PTP[®] PADLOCK KEY SYSTEMS

KEYED DIFFERENT (KD)


Each Keyed Different padlock operates with a unique key ensuring the highest security for the end user.

This means all locks are **uniquely keyed**, a key of one lock will not fit any other lock in the same or different color groups.

Locks have to be destroyed if keys are lost or misplaced.

Each color group in the 3PTP[®] range has up to 5000 unique Key Different combinations.

3PTP[®] padlocks in Keyed Different system come with 2 Unique keys with each padlock.



KEYED ALIKE (KA)

Keyed Alike padlocks operate with a common key, one key opens all locks in the same number group.


Ideal for situations where one employee is authorized for locking out different energy sources during LO/TO operations. One Key opens all locks reducing downtime on maintaining records of different keys.

However "same key" convenience could pose problems if keys can be accessed by other employees as it could compromise individual security.

KA padlocks can be customized per group **OR** color. Groups start from 2 or more padlocks to several hundreds, each KA group operates with a Different Keyed Alike Key.

Specify number of Groups and quantity of locks per group when ordering.

3PTP[®] padlocks in Keyed Alike system come with 1 Key Alike with each padlock.



KEYED DIFFERENT & MASTER KEYED (KD&MK)

Each lock in a KD+MK system is Uniquely Keyed and also has an override Master Key which opens all locks in a particular color group irrespective of the shackle type or length.


This permits organizing master key systems along departmental or other functional lines to allow supervisory or emergency access.

Master Keys are coded per color, making it easier to order spare MK's at a later stage by stating the color of the lock.

Groups of locks with separate Master Keys cannot be generated in the 3PTP® system.

All 3PTP® padlocks in Keyed Different + Master Keyed system come with 2 Unique Keys per padlock as standard.

Master Keys are available in 1 or multiples and ordered separately.




KEYED ALIKE & MASTER KEYED (KA&MK)

Each group of lock in KA+MK system opens with a separate keyed Alike key in the same color range.

A Master key opens all groups of differently keyed Alike locks in the same color.

All 3PTP® padlocks in keyed Alike + Master keyed system come with 1 Key Alike per padlock as standard.

Master Keys are available in 1 or multiples and are ordered separately.





3PTP[®] PADLOCK SELECTION GUIDE

- Padlock selection plays an important role in LOTO Programs.
- The 3PTP[®] padlock range consists of 96 variations comprising color, shackle type, length and key systems.
- Selecting padlocks for different environs and energy sources is easy with the legends providing details of each alphabet / number.
- 8 Colors, 3 Key systems, 2 Shackle types and lengths are defined in the model numbers.

3 → 3

P → POINT

T → TRACEABILITY

P → PADLOCK

R → COLOR: RED

R	B	Y	G	N	O	P	W	BN	GY
Red	Blue	Yellow	Green	Noir (Black)	Orange	Purple	White	Brown	Grey

K
D → KEYED DIFFERENT

K D	K A	K D M K
Keyed Different	Keyed Alike	Keyed Different & Master Keyed

R
4
0 → REGULAR SHACKLE
(40mm Shackle Length
SS304 Grade)


R 4 0	L 8 0	N 4 0	N 8 0
REGULAR SHACKLE (40mm Shackle Length SS304 Grade)	LONG SHACKLE (80mm Shackle Length SS304 Grade)	NON-CONDUCTIVE SHACKLE (40mm Shackle Length)	LONG SHACKLE (80mm Shackle Length)



3PTP[®] PADLOCK MODEL NUMBERS


KEYED DIFFERENT

Color	Shackle: SS304 Grade REGULAR: 40mm Height	Shackle: SS304 Grade LONG: 80mm Height	Shackle: Non Conductive REGULAR: 40mm Height	Shackle: Non Conductive LONG: 80mm Height
	MODEL No.	MODEL No.	MODEL No.	MODEL No.
RED	3TPRKDR40	3TPRKDL80	3TPRKDN40	3TPRKDN80
YELLOW	3TPYKDR40	3TPYKDL80	3TPYKDN40	3TPYKDN80
BLUE	3TPBKDR40	3TPBKDL80	3TPBKDN40	3TPBKDN80
GREEN	3TPGKDR40	3TPGKDL80	3TPGKDN40	3TPGKDN80
ORANGE	3TPOKDR40	3TPOKDL80	3TPOKDN40	3TPOKDN80
NOIR (Black)	3TPNKDR40	3TPNKDL80	3TPNKDN40	3TPNKDN80
PURPLE	3TPPKDR40	3TPPKDL80	3TPPKDN40	3TPPKDN80
WHITE	3TPWKDR40	3TPWKDL80	3TPWKDN40	3TPWKDN80
BROWN	3TPBNKDR40	N/A	N/A	N/A
GREY	3TPGYKDR40	N/A	N/A	N/A



KEYED DIFFERENT + MASTER KEYED


Color	Shackle: SS304 Grade REGULAR: 40mm Height	Shackle: SS304 Grade LONG: 80mm Height	Shackle: Non Conductive REGULAR: 40mm Height	Shackle: Non Conductive LONG: 80mm Height
	MODEL No.	MODEL No.	MODEL No.	MODEL No.
RED	3TPRKDMKR40	3TPRKDMKL80	3TPRKDMKN40	3TPRKDMKN80
YELLOW	3TPYKDMKR40	3TPYKDMKL80	3TPYKDMKN40	3TPYKDMKN80
BLUE	3TPBKDMKR40	3TPBKDMKL80	3TPBKDMKN40	3TPBKDMKN80
GREEN	3TPGKDMKR40	3TPGKDMKL80	3TPGKDMKN40	3TPGKDMKN80
ORANGE	3TPOKDMKR40	3TPOKDMKL80	3TPOKDMKN40	3TPOKDMKN80
NOIR (Black)	3TPNKDMKR40	3TPNKDMKL80	3TPNKDMKN40	3TPNKDMKN80
PURPLE	3TPPKDMKR40	3TPPKDMKL80	3TPPKDMKN40	3TPPKDMKN80
WHITE	3TPWKDMKR40	3TPWKDMKL80	3TPWKDMKN40	3TPWKDMKN80



3PTP[®] PADLOCK MODEL NUMBERS


KEYED ALIKE

Color	Shackle: SS304 Grade REGULAR: 40mm Height	Shackle: SS304 Grade LONG: 80mm Height	Shackle: Non Conductive REGULAR: 40mm Height	Shackle: Non Conductive LONG: 80mm Height
	MODEL No.	MODEL No.	MODEL No.	MODEL No.
RED	3PTPRKAR40	3PTPRKAL80	3PTPRKAN40	3PTPRKAN80
YELLOW	3PTPYKAR40	3PTPYKAL80	3PTPYKAN40	3PTPYKAN80
BLUE	3PTPBKAR40	3PTPBKAL80	3PTPBKAN40	3PTPBKAN80
GREEN	3PTPGKAR40	3PTPGKAL80	3PTPGKAN40	3PTPGKAN80
ORANGE	3PTPOKAR40	3PTPOKAL80	3PTPOKAN40	3PTPOKAN80
NOIR (Black)	3PTPNKAR40	3PTPNKAL80	3PTPNKAN40	3PTPNKAN80
PURPLE	3PTPPKAR40	3PTPPKAL80	3PTPPKAN40	3PTPPKAN80
WHITE	3PTPWKAR40	3PTPWKAL80	3PTPWKAN40	3PTPWKAN80



KEYED ALIKE + MASTER KEYED

Color	Shackle: SS304 Grade REGULAR: 40mm Height	Shackle: SS304 Grade LONG: 80mm Height	Shackle: Non Conductive REGULAR: 40mm Height	Shackle: Non Conductive LONG: 80mm Height
	MODEL No.	MODEL No.	MODEL No.	MODEL No.
RED	3PTPRKAMKR40	3PTPRKAMKL80	3PTPRKAMKN40	3PTPRKAMKN80
YELLOW	3PTPYKAMKR40	3PTPYKAMKL80	3PTPYKAMKN40	3PTPYKAMKN80
BLUE	3PTPBKAMKR40	3PTPBKAMKL80	3PTPBKAMKN40	3PTPBKAMKN80
GREEN	3PTPGKAMKR40	3PTPGKAMKL80	3PTPGKAMKN40	3PTPGKAMKN80
ORANGE	3PTPOKAMKR40	3PTPOKAMKL80	3PTPOKAMKN40	3PTPOKAMKN80
NOIR (Black)	3PTPNKAMKR40	3PTPNKAMKL80	3PTPNKAMKN40	3PTPNKAMKN80
PURPLE	3PTPPKAMKR40	3PTPPKAMKL80	3PTPPKAMKN40	3PTPPKAMKN80
WHITE	3PTPWKAMKR40	3PTPWKAMKL80	3PTPWKAMKN40	3PTPWKAMKN80



3PTP[®] 3 POINT TRACEABILITY PADLOCK



NEW

GREY



Model No.: 3PTPGYKDR40

BROWN



Model No.: 3PTPBNKDR40

**STAINLESS STEEL
(SS304 GRADE)
SHACKLE**



LOCKOUT / TAGOUT SAVES LIVES

**Is your facility compliant to
OSHA 29 CFR 1910.147 standard?**

**LOTO DEVICES, PADLOCKS AND TAGS FOR
ISOLATION OF HAZARDOUS ENERGY**

**CALL OR MAIL
TO CONDUCT LOTO
ASSESSMENTS AT
YOUR FACILITY**



LOTO SAFETY REQUISITES TRADING L.L.C.

Belresheed Warehouse No.7, Next To Jacky's Electronics, Nad Al Hamar, P.O Box 114738, Dubai - UAE

Tel: +971-4-4539779 E-mail: info@lotosafetyproducts.com www.lotosafetyproducts.com