




SENSIBLE LOTO KITS (ELECTRO - MECHANICAL)



A LOTO KIT FOR EVERY JOB

ال او تي او لتجارة لوازم السلامة ش.ذ.م.م

ELECTRO-MECHANICAL LOTO KIT STEEL CABINET - LARGE MODEL NO. LOKT-EMSC10-603



SL. No.	Description	Image	Qty	SL. No.	Description	Image	Qty
1.	Lockout / Tagout Station with Clear Fascia. Color: Yellow. Dimensions: L 600 x W 550 x D 250 mm. Model No: LS-10CFY	- m	1 Pc.	35.	Valve Lockout - Butterfly construction. Locks Spring Type Lever Handle Butterfly Valves. Color: Red. Brand: LOTO-LOK®. Model No: VL-BF-LEV	متعشق	1 Pc.
2.	LOTO Waist Pouch. Color: Red. Brand: LOK-FORCE™. Size: 61 x 16. x 17 cms. Model No: BG-RD61WP	ALT G	1 Pc.	36.	Panel Lockout - Push Button / Switch, Polycarbonate material. Color: Transparent. Inner Size: 58mm x 75mm. Brand: LOTO-LOK®. Model No: PL-SQB-75		1 Pc.
3.	Hasp - Steel, PE Injection Molded Handles, Color: Red. Size: 25mm. Small, 6 locks capacity. Brand: LOTO-LOK®. Model No: HSP-PMH-25R		2 Pcs.	37.	Panel Lockout - Push Button Emergency. Polycarbonate material. Color: Transparent. Inner Size:70mm x H85mm. Brand: LOTO-LOK®. Model No: PL-EPB-90	Pusa positive control of the control	2 Pcs.
4.	Hasp - Steel, PE Injection Molded Handles, Color: Red. Size: 38mm. Large, 6 locks capacity. Brand: LOTO-LOK®. Model No: HSP-PMH-38R		2 Pcs.	38.	Panel Lockout - Push Button. Cover size: 62mm Dia x 54mm H. Fits 27 ~ 32mm. Hole diameter push buttons. Model No: PL-AD-2732	C	1 Pc.
5.	Hasp - Aluminium Round Rod Scissor hasp. With Non-conductive Black coating and Injection Molded Nylon Handle. Size: 25 mm. (SMALL). Color: Red. Brand: LOTO-LOK®. Model No: HSP-AL-25	0	1 Pc.	39.	Plug Lockout - Electrical. Locks Large size electrical plugs. Color: Red. Material: Polypropylene. Model No: PLG-LRPL		1 Pc.
6.	Hasp - Aluminium Round Rod Scissor hasp. With Non-conductive Black coating and Injection Molded Nylon Handle. Size: 38 mm. (LARGE). Color: Red. Brand: LOTO-LOK®. Model No: HSP-AL-38		1 Pc.	40.	Switch Lockout Device – Panel Lockout with Adhesive Base. Color: Yellow. Immobilises cabinet doors & Covers Key Holes. Model No: MPD-YBPL-28	m	2 Pcs.
7.	Hasp - Nylon, Di-Electric, Yellow / Red color with 4 locks capacity. Size: 3.0 mm Shackle diameter. Brand: LOTO-LOK®. Model No: HSP-DEY3	100 mm 10	1 Pc.	41.	Chain - Stainless Steel 316 Grade. Chain Dia: 4.0 mm. Link Dia: L 34.0 mm x W 15.0 mm. Chain Length: 1.0 Mtr. Model No: SSC-4M	Control of the Contro	2 Mtrs.
8.	Hasp - Nylon, Di-Electric, Yellow / Red color with 4 locks capacity. Size: 6.0 mm Shackle diameter. Brand: LOTO-LOK®. Model No: HSP-DEY6		1 Pc.	42.	Car Seals - Aluminium / Zinc Body, Galvanized Aircraft wire cable 1 mtr. Long. Color: Red. Size: 2.5 mm wire dia x 1.0 Mtr. Length. Brand: LOTO-LOK®. Model No: CS-RED-1M		5 Pcs.

LOTO

Safety Requisites Trading L.L.C.

ال او تي او لتجارة لوازم السلامة ش.ذ.م.م

SL. No.	Description	Image	Qty	SL. No.	Description	Image	Qty
9.	Hasp – Nylon, Non Conductive, Color: Red, 6 locks capacity. Size: 6.0 mm Shackle diameter. Brand: LOTO-LOK®. Model No: HSP-RNH-66		1 Pc.	43.	Car Seals - Aluminium / Zinc Body, Galvanized Aircraft wire cable 1 mtr. Long. Color: Green. Size: 2.5 mm wire dia x 1.0 Mtr. Length. Brand: LOTO-LOK®. Model No: CS-GRN-1M	•0	5 Pcs.
10.	Circuit Breaker Locking Device Pin Combo (SET OF 3) for Miniature Circuit Breaker. 1 off PIN – IN, 1 off PIN – OUT & 1 off PIN – OUT – WIDE. Brand: LOTO-LOK®. Model No: CB-COMBO-CTBL		2 Sets	44.	Document Holder - Flexible Sheeting Permit Holder with Zip Lock & Metal Eyelet. Size: L 325 mm x 290 mm. Brand: LOTO-LOK®. Model No: DH-PVC-PTW		1 Pc.
11.	Circuit Breaker Locking Device, PIN-OUT for Single & Multipole MCB's w/ LATCH. Color: Yellow. Brand: LOTO-LOK®. Model No: CB-POL-Y	6	3 Pcs.	45.	3-PTP (Three Point Traceability Padlock). Color: Red. SS304 Grade Regular Shackle 40mm. Body: Nylon PA66 Construction. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPRKDR40		4 Pcs.
12.	Circuit Breaker Locking Device for Single & Multi Pole MCB's & MCCB's. Opened and Closed with Screwdriver. Color: Yellow. Brand: LOTO-LOK®. Model No: CB-MG-CTBL	82	5 Pcs.	46.	3-PTP (Three Point Traceability Padlock). Color: Red. Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Key Different (2 Unique Keys per Lock). Regular Shackle 40mm. Brand: LOTO-LOK®. Model No: 3PTPRKDN40		4 Pcs.
13.	Circuit Breaker Locking Device for Single and Multi Pole MCB's & MCCB's. Opened and Closed with Screwdriver. Color: Blue. Brand: LOTO-LOK®. Model No: CB-AB-CTBL	5	2 Pcs.	47.	3-PTP (Three Point Traceability Padlock). Color: Red. SS304 Grade Long Shackle 80mm. Body: Nylon PA66 Construction. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPRKDL80		2 Pcs.
14.	Circuit Breaker Locking Device, Universal type for Single & Multipole MCB's & MCCB's upto 200A, Hand Tightening, No Tool. Color: Red. Brand: LOQ-IT. Model No: CB-UNI-HT	5	3 Pcs.	48.	3-PTP (Three Point Traceability Padlock). Color: Red. Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Key Different (2 Unique Keys per Lock). Long Shackle 80mm. Brand: LOTO-LOK®. Model No: 3PTPRKDN80		2 Pcs.
15.	Circuit Breaker Locking Device, Universal type with Dove Tail for locking a wide range of MCCB's upto 200Amps, Hand Tightening, No-Tool. Color: Red. Brand: LOQ-IT. Model No: CB-UNI-DTHT	2	3 Pcs.	49.	3-PTP (Three Point Traceability Padlock). Color: Yellow. SS304 Grade Regular Shackle 40mm. Body: Nylon PA66 Construction. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPYKDR40	Q.	1 Pc.
16.	Circuit Breaker / Fuse Lockout, Screwdriver Required, Color: Red. Model No: CB-FLRD	C	1 Pc.	50.	3-PTP (Three Point Traceability Padlock). Color: Yellow. Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Key Different (2 Unique Keys per Lock). Regular Shackle 40mm. Brand: LOTO-LOK®. Model No: 3PTPYKDN40		1 Pc.
17.	Circuit Breaker Locking Device - Universal Type for Single & Multipole MCB's & MCCB's upto 200A with cover and 2 Way Padlocking slots. Color: Red. Model No: CB-COV94		2 Pcs.	51.	3-PTP (Three Point Traceability Padlock). Color: Blue. SS304 Grade Regular Shackle 40mm. Body: Nylon PA66 Construction. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPBKDR40		1 Pc.
18.	Circuit Breaker Locking Device for Single Pole Miniature Circuit Breaker. Color - Red. Opened and closed with screwdriver. Brand: LOTO-LOK®. Model No: CB-UB-CTBL	T	5 Pcs.	52.	3-PTP (Three Point Traceability Padlock). Color: Blue. Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Key Different (2 Unique Keys per Lock). Regular Shackle 40mm. Brand: LOTO-LOK®. Model No: 3PTPBKDN40		1 Pc.
19.	Circuit Breaker Locking Device - for MCCB's with Large Toggles upto 600 AMPS. Color: Red. Model No: CB–BT–CTBL	(1)	1 Pc.	53.	3-PTP (Three Point Traceability Padlock). Color: Green. SS304 Grade Regular Shackle 40mm. Body: Nylon PA66 Construction. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPGKDR40		1 Pc.

LOTO

Safety Requisites Trading L.L.C.

ال او تي او لتجارة لوازم السلامة ش.ذ.م.م

C!													
SL. No.	Description	Image	Qty	SL. No.	Description	Image	Qty						
20.	Circuit Breaker Locking Device, Lockouts 277 Volts MCCB's with toggle Width 16mm x 11.5mm Thickness. Thumbwheel Operation. Size: Small, Color: Red. Brand: LOQ-IT. Model No: CB-KT-S		3 Pcs.	54.	3-PTP (Three Point Traceability Padlock). Color: Green. Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Key Different (2 Unique Keys per Lock). Regular Shackle 40mm. Brand: LOTO-LOK®. Model No: 3PTPGKDN40		1 Pc.						
21.	Circuit Breaker Locking Device, Lockouts 480/600 Volts MCCB's with toggle Width 41mm x 13.5mm Thickness. Thumbwheel Operation. Size: Medium, Color: Red. Brand: LOQ-IT. Model No: CB-KT-M		2 Pcs.	55.	Laminated Steel Safety Lockout Padlock, Steel Body, REGULAR Shackle, with RED color Bumper. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 2PTPSRKDS24		2 Pcs.						
22.	Circuit Breaker Locking Device, locks outs 480/600 Volts MCCB's with Oversized toggle widths 63mm x 22mm. Thickness. Thumbwheel operation. Size: Large, Color: Red. Brand: LOQ-IT. Model No: CB-KT-L	4	1 Pc.	56.	Laminated Steel Safety Lockout Padlock, Steel Body, LONG Shackle, with RED color Bumper. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 2PTPSRKDL47		2 Pcs.						
	Circuit Breaker Locking Device locks outs 600A MCCB's with Oversized toggles. (Break Blocker Components) 480v~600v. Set consists of 2 self adhesive bases, 1 Red & 1 Green blocking bars and 1 self adhesive bar holder. Packaging: 5 Pcs. per set. Model No: CB-BBK-5		1 Set	57.	" CAUTION, Equipment Locked Out, Do Not Operate " MAGNETIC SIGN. Size: 200mm x 100mm. Make: LOTO. Model No: LSP-MCS-01	CAUTICAL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTR	1 Pc.						
24.	Cable Lockout - Economy Squeezer Multipurpose, Galvanized Steel Cable PVC coated with Brass End Cap. Cable Length: 1.5 Mtr. Cable Diameter: 4.0mm. Brand: LOTO-LOK®. Model No: CL-SQCL-1.5MR	9	1 Pc.	58.	" DANGER, ENTRY OF UNAUTHORISED PERSONS PROHIBITED " MAGNETIC SIGN. Make: LOTO. Size: 200mm x 100mm. Model No: LSP-MCS-02	DANGER	1 Pc.						
25.	KAB-O-LOK™ Cable Lockout. Brand: KAB-O-LOK™ (a LOK-FORCE product). 1 Set with Base, KAB-TOOL Operating Tool and 2 Mtrs. Steel Galvanised PVC coated Cable. Color: Red. Model No. CL-KBLK-R2-ST		1 Set	59.	Tag, "CAR SEAL CLOSED". Color: Red. 275 Micron Polypropylene Sheet with both sides Digital Printing. With Metal Eyelet. Size: L 160 mm x W 80 mm. Model No: TAGD-CSR	CAR SER. CLOSED	5 Pcs.						
26.	Cable Lockout - Adjustable with Stainless Steel PVC coated cable with brass end cap. Color: Red. Cable Sizes: Dia. 5/32" (4mm) x 6' (1.8 Mtrs.). Model No: CL-6F-4MC		1 Pc.	60.	Tag, "CAR SEAL OPEN". Color: Green. 275 Micron Polypropylene Sheet with both sides Digital Printing. With Metal Eyelet. Size: L 160 mm x W 80 mm. Model No: TAGD-CSG	GUSTERN OFFI	5 Pcs.						
	Cable Sling - PVC Coated GI Cable. Both ends crimped with Aluminium soft eyes. Color: Red. Sizes: 3.8mm O.D. x 2.5mm I.D. Cable Length: 1 Mtr. Model No: CL-2L-R100D38		2 Pcs.	61.	DANGER TAG, " DO NOT OPERATE ". Material: PVC. Size: L 143 mm x W 80 mm x 0.5 mm thk. Model No: S1 – TAGD – 01		15 Pcs.						
28.	Cable Sling - PVC Coated GI Cable. Both ends crimped with Aluminium soft eyes. Color: Red. Sizes: 2.0mm O.D. x 1.5mm I.D. Cable Length: 0.5 Mtr. Model No: CL-2L-R50D20	\bigcirc	2 Pcs.	62.	DANGER TAG, " DO NOT OPERATE ". Material: PVC. Size: L 160 mm x W 80 mm x 0.5 mm thk. Model No: S1 – TAGD – 222	CO CO CO CO CO CO CO CO CO CO CO CO CO C	15 Pcs.						
29.	Cable Sling - PVC Coated GI Cable. Both ends crimped with Aluminium soft eyes. Color: Red. Sizes: 2.0mm O.D. x 2.5mm I.D. Cable Length: 0.3 Mtr. Model No: CL-2L-R30D20		2 Pcs.	63.	TAG, Yellow color. " OUT OF SERVICE, NOT TO BE OPERATED ". Material: PVC. Size: L 160 mm x W 80 mm x 0.5 mm thk. Model No: S1 – TAGC – 301	SULP OF SULP O	10 Pcs.						
30.	Valve Lockout - Rotating. Locks Valve Wheel Sizes: 25 mm. to 76 mm. Model No: VL-MST-F480		1 Pc.	64.	LOTO & Electrical Safety Hand Book. Model No. BOOK-SFTY	TOTAL STATE OF THE	1 Pc.						
31.	Valve Lockout - Rotating. Locks Valve Wheel Sizes: 50 mm. to 127 mm. Model No: VL-MST-F481		1 Pc.	65.	Screwdriver. Model No: TOOL-SCD		2 Pcs.						
37.	Adjustable Gate Valve Lockout. Material: Made from polypropylene PP. Color: RED. Locks gate valve hand wheel sizes from 25 mm. to 125 mm. Brand: LOTO-LOK®. Model No: VL-GVLA-25125	SANOTE SA	1 Pc.	66.	Marker Pen. Color: Black. Model No: LSP-MARKER	/	1 Pc.						
33.	Valve Lockout - BALL (Lever Type). Polypropylene Construction. Color: Red. Locks Valve Sizes: 10 mm – 32 mm. Model No: VL-BV-1032TL	T	2 Pcs.	67.	Cable Ties, 8" Length for Tie Tags. Model No: LSP-CABLETIE		50 Pcs.						
34.	Valve Lockout - BALL (Lever Type). Polypropylene Construction. Color: Red. Locks Valve Sizes: 50 mm. – 200 mm. Model No: VL-BV-50200TL	T	1 Pc.										