




SENSIBLE LOTO KITS (ELECTRO - MECHANICAL)

















































A LOTO KIT FOR EVERY JOB

ELECTRO-MECHANICAL LOTO KIT PLASTIC TOOL BOX - LARGE MODEL NO. LOKT-EMPBL-206



SL. No.	Description	Image	Qty	SL. No.	Description	Image	Qty
1.	Hard Tool Case for Lockout Kit. Size: Large. Model No: LSP-LK-HTC		1 Pc.	31.	Panel Lockout - Push Button. Polycarbonate material. Circular Base 55mm Diameter x H 45 mm. Transparent color. Brand: LOTO-LOK®. Model No: PL-CIR-55		1 Pc.
2.	LOTO Bag - Belt Pouch. Color: Red. Brand: LOK-FORCE™. Size: 20.5 x 10 x 14 cms. Model No: BG-RD21BP		1 Pc.	32.	Panel Lockout - Push Button Emergency. Polycarbonate material. Color: Transparent. Inner Size:70mm x H85mm. Brand: LOTO-LOK®. Model No: PL-EPB-90		1 Pc.
3.	Hasp - Steel, PE Injection Molded Handles, Color: Red. Size: 25mm. Small, 6 locks capacity. Brand: LOTO-LOK®. Model No: HSP-PMH-25R		2 Pcs.	33.	Panel Lockout - Push Button. Cover size: 62mm Dia x 54mm H. Fits 27 ~ 32mm. Hole diameter push buttons. Model No: PL-AD-2732		1 Pc.
4.	Hasp - Steel, PE Injection Molded Handles, Color: Red. Size: 38mm. Large, 6 locks capacity. Brand: LOTO-LOK®. Model No: HSP-PMH-38R		1 Pc.	34.	Switch Lockout Device – Panel Lockout with Adhesive Base. Color: Yellow. Immobilises cabinet doors & Covers Key Holes. Model No: MPD-YBPL-28		2 Pcs.
5.	Hasp – Aluminium Round Rod Scissor hasp. With Non-conductive Black coating and Injection Molded Nylon Handle. Size: 38 mm. (LARGE). Color: Red. Brand: LOTO-LOK®. Model No: HSP-AL-38		1 Pc.	35.	Chain - Stainless Steel 316 Grade. Chain Dia: 4.0 mm. Link Dia: L 34.0 mm x W 15.0 mm. Chain Length: 1.0 Mtr. Model No: SSC-4M		1 Mtr.
6.	Hasp – Nylon, Non Conductive, Color: Red, 6 locks capacity. Size: 6.0 mm Shackle diameter. Brand: LOTO-LOK®. Model No: HSP-RNH-66		1 Pc.	36.	Car Seals - Aluminium / Zinc Body, Galvanized Aircraft wire cable 1 mtr. Long. Color: Red. Size: 2.5 mm wire dia x 1.0 Mtr. Length. Brand: LOTO-LOK®. Model No: CS-RED-1M		3 Pcs.
7.	Hasp – Nylon Body with 3.5mm Steel Shackle for small apertures. 4 Locks capacity. Color RED. Brand: LOTO-LOK®. Model No: HSP-TS3-4L		1 Pc.	37.	Car Seals - Aluminium / Zinc Body, Galvanized Aircraft wire cable 1 mtr. Long. Color: Green. Size: 2.5 mm wire dia x 1.0 Mtr. Length. Brand: LOTO-LOK®. Model No: CS-GRN-1M		3 Pcs.

SL. No.	Description	Image	Qty	SL. No.	Description	Image	Qty
8.	Hasp – Aluminum Alloy. Accommodates 6 Padlocks. Color: Red. No. of Padlock Hole: 6 Holes (8.5 mm hole diameter). Size: W 77 mm x L 190 mm. Model No: HSP-ALR-6		1 Pc.	38.	Document Holder - Flexible Sheeting Permit Holder with Zip Lock & Metal Eyelet. Size: L 325 mm x 290 mm. Brand: LOTO-LOK®. Model No: DH-PVC-PTW		1 Pc.
9.	Circuit Breaker Locking Device Pin Combo (SET OF 3) for Miniature Circuit Breaker. 1 off PIN – IN, 1 off PIN – OUT & 1 off PIN – OUT – WIDE. Brand: LOTO-LOK®. Model No: CB-COMBO-CTBL		2 Sets	39.	3-PTP (Three Point Traceability Padlock). Color: Red. SS304 Grade Regular Shackle 40mm. Body: Nylon PA66 Construction. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPRKDR40		2 Pcs.
10.	Circuit Breaker Locking Device, PIN-OUT for Single & Multipole MCB's w/ LATCH. Color: Yellow. Brand: LOTO-LOK®. Model No: CB-POL-Y		3 Pcs.	40.	3-PTP (Three Point Traceability Padlock). Color: Red. SS304 Grade Long Shackle 80mm. Body: Nylon PA66 Construction. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPRKDL80		1 Pc.
11.	Circuit Breaker Locking Device for Single & Multi Pole MCB's & MCCB's. Opened and Closed with Screwdriver. Color: Yellow. Brand: LOTO-LOK®. Model No: CB-MG-CTBL		5 Pcs.	41.	3-PTP (Three Point Traceability Padlock). Color: Red. Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Key Different (2 Unique Keys per Lock). Regular Shackle 40mm. Brand: LOTO-LOK®. Model No: 3PTPRKDN40		2 Pcs.
12.	Circuit Breaker Locking Device for Single and Multi Pole MCB's & MCCB's. Opened and Closed with Screwdriver. Color: Blue. Brand: LOTO-LOK®. Model No: CB-AB-CTBL		2 Pcs.	42.	3-PTP (Three Point Traceability Padlock). Color: Red. Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Key Different (2 Unique Keys per Lock). Long Shackle 80mm. Brand: LOTO-LOK®. Model No: 3PTPRKDN80		1 Pc.
13.	Circuit Breaker Locking Device, Universal type for Single & Multipole MCB's & MCCB's upto 200A, Hand Tightening, No-Tool. Color: Red. Brand: LOQ-IT. Model No: CB-UNI-HT		3 Pcs.	43.	3-PTP (Three Point Traceability Padlock). Color: Yellow. SS304 Grade Regular Shackle 40mm. Body: Nylon PA66 Construction. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPYKDR40		1 Pc.
14.	Circuit Breaker Locking Device, Universal type with Dove Tail for locking a wide range of MCCB's upto 200Amps, Hand Tightening, No-Tool. Color: Red. Brand: LOQ-IT. Model No: CB-UNI-DTHT		3 Pcs.	44.	3-PTP (Three Point Traceability Padlock). Color: Yellow. SS304 Grade Long Shackle 80mm. Body: Nylon PA66 Construction. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPYKDL80		1 Pc.
15.	Circuit Breaker / Fuse Lockout, Screwdriver Required, Color: Red. Model No: CB-FLRD		1 Pc.	45.	3-PTP (Three Point Traceability Padlock). Color: Yellow. Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Key Different (2 Unique Keys per Lock). Regular Shackle 40mm. Brand: LOTO-LOK®. Model No: 3PTPYKDN40		1 Pc.
16.	Circuit Breaker Locking Device - Universal Type for Single & Multipole MCB's & MCCB's upto 200A with cover and 2 Way Padlocking slots. Color: Red. Model No: CB-COV94		2 Pcs.	46.	3-PTP (Three Point Traceability Padlock). Color: Yellow. Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Key Different (2 Unique Keys per Lock). Long Shackle 80mm. Brand: LOTO-LOK®. Model No: 3PTPYKDN80		1 Pc.
17.	Circuit Breaker Locking Device for Single Pole Miniature Circuit Breaker. Color - Red. Opened and closed with screwdriver. Brand: LOTO-LOK®. Model No: CB-UB-CTBL		5 Pcs.	47.	3-PTP (Three Point Traceability Padlock). Color: Blue. SS304 Grade Regular Shackle 40mm. Body: Nylon PA66 Construction. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPBKDR40		1 Pc.
18.	Circuit Breaker Locking Device, Lockouts 277 Volts MCCB's with toggle Width 16mm x 11.5mm Thickness. Thumbwheel Operation. Size: Small, Color: Red. Brand: LOQ-IT. Model No: CB-KT-S		3 Pcs.	48.	3-PTP (Three Point Traceability Padlock). Color: Blue. Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Key Different (2 Unique Keys per Lock). Regular Shackle 40mm. Brand: LOTO-LOK®. Model No: 3PTPBKDN40		1 Pc.

SL. No.	Description	Image	Qty	SL. No.	Description	Image	Qty
19.	Circuit Breaker Locking Device, Lockouts 480/600 Volts MCCB's with toggle Width 41mm x 13.5mm Thickness. Thumbwheel Operation. Size: Medium, Color: Red. Brand: LOQ-IT. Model No: CB-KT-M		1 Pc.	49.	3-PTP (Three Point Traceability Padlock). Color: Green. SS304 Grade Regular Shackle 40mm. Body: Nylon PA66 Construction. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPGKDR40		1 Pc.
20.	Cable Lockout - Economy Squeezer Multipurpose, Galvanized Steel Cable PVC coated with Brass End Cap. Cable Length: 1.5 Mtr. Cable Diameter: 4.0mm. Brand: LOTO-LOK®. Model No: CL-SQCL-1.5MR		1 Pc.	50.	3-PTP (Three Point Traceability Padlock). Color: Green. Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Key Different (2 Unique Keys per Lock). Regular Shackle 40mm. Brand: LOTO-LOK®. Model No: 3PTPGKDN40		1 Pc.
21.	KAB-O-LOK™ Cable Lockout. Brand: KAB-O-LOK™ (a LOK-FORCE product). 1 Set with Base, KAB-TOOL Operating Tool and 2 Mtrs. Steel Galvanised PVC coated Cable. Color: Red. Model No. CL-KBLK-R2-ST		1 Set	51.	" CAUTION, Equipment Locked Out, Do Not Operate " MAGNETIC SIGN. Size: 200mm x 100mm. Make: LOTO. Model No: LSP-MCS-01		1 Pc.
22.	Cable Lockout - Adjustable with Stainless Steel PVC coated cable with brass end cap. Color: Red. Cable Sizes: Dia. 5/32" (4mm) x 6' (1.8 Mtrs.). Model No: CL-6F-4MC		1 Pc.	52.	" DANGER, ENTRY OF UNAUTHORISED PERSONS PROHIBITED " MAGNETIC SIGN. Make: LOTO. Size: 200mm x 100mm. Model No: LSP-MCS-02		1 Pc.
23.	Cable Sling - PVC Coated GI Cable. Both ends crimped with Aluminium soft eyes. Color: Red. Sizes: 3.8mm O.D. x 2.5mm I.D. Cable Length: 1 Mtr. Model No: CL-2L-R100D38		2 Pcs.	53.	Tag, "CAR SEAL CLOSED". Color: Red. 275 Micron Polypropylene Sheet with both sides Digital Printing. With Metal Eyelet. Size: L 160 mm x W 80 mm. Model No: TAGD-CSR		5 Pcs.
24.	Cable Sling - PVC Coated GI Cable. Both ends crimped with Aluminium soft eyes. Color: Red. Sizes: 2.0mm O.D. x 1.5mm I.D. Cable Length: 0.5 Mtr. Model No: CL-2L-R50D20		2 Pcs.	54.	Tag, "CAR SEAL OPEN". Color: Green. 275 Micron Polypropylene Sheet with both sides Digital Printing. With Metal Eyelet. Size: L 160 mm x W 80 mm. Model No: TAGD-CSG		5 Pcs.
25.	Cable Sling - PVC Coated GI Cable. Both ends crimped with Aluminium soft eyes. Color: Red. Sizes: 2.0mm O.D. x 2.5mm I.D. Cable Length: 0.3 Mtr. Model No: CL-2L-R30D20		2 Pcs.	55.	DANGER TAG, " DO NOT OPERATE ". Material: PVC. Size: L 143 mm x W 80 mm x 0.5 mm thk. Model No: S1 – TAGD – 01		15 Pcs.
26.	Valve Lockout - Rotating. Locks Valve Wheel Sizes: 50 mm. to 127 mm. Model No: VL-MST-F481		1 Pc.	56.	DANGER TAG, " DO NOT OPERATE ". Material: PVC. Size: L 160 mm x W 80 mm x 0.5 mm thk. Model No: S1 – TAGD – 222		15 Pcs.
27.	Adjustable Gate Valve Lockout. Material: Made from polypropylene PP. Color: RED. Locks gate valve hand wheel sizes from 25 mm. to 125 mm. Brand: LOTO-LOK®. Model No: VL-GVLA-25125		1 Pc.	57.	TAG, Yellow color. " OUT OF SERVICE, NOT TO BE OPERATED ". Material: PVC. Size: L 160 mm x W 80 mm x 0.5 mm thk. Model No: S1 – TAGC – 301		10 Pcs.
28.	Valve Lockout - BALL (Lever Type). Polypropylene Construction. Color: Red. Locks Valve Sizes: 10 mm – 32 mm. Model No: VL-BV-1032TL		1 Pc.	58.	Screwdriver. Model No: TOOL-SCD		1 Pc.
29.	Valve Lockout - BALL (Lever Type). Polypropylene Construction. Color: Red. Locks Valve Sizes: 13 mm - 64 mm. Model No: VL-BV-1364TL		1 Pc.	59.	Marker Pen. Color: Black. Model No: LSP-MARKER		1 Pc.
30.	Adjustable Butterfly Valve Lockout. Suitable for locking out 0.8~4.5cm butterfly valves. Valve Handle Slot: min. 27mm, max. 47mm, height 13mm. Diameter of the Hole: 4.5mm. Model No: VL-BF-1P (To be used with CL-6F-4MC Cable lockout)		1 Pc.	60.	Cable Ties, 8" Length for Tie Tags. Model No: LSP-CABLETIE		50 Pcs.