



ENERGY ISOLATION LOCKOUT TAGOUT PADLOCKS

3PTP PREMIUM



ECONOMY



MINI



CABLE




ALUMINIUM



STEEL





LOTO-LOK[®]

3PTP PLASTIC SAFETY LOCKOUT PADLOCKS



3PTP[®] 3 POINT TRACEABILITY PADLOCK



1
Key system is molded on padlock body & laser engraved on key. Visible key system allows user to initiate immediate action for lost or misplaced keys.

5.0mm shackle diameter permits easy access through small apertures

Weather Resistant Features
BODY-GARD bushes and Key Hole Cover resists dust, grime, moisture and erosive grit ingress into padlock body. Enhances padlock life



2
Key Number permanently lasered on padlock body and on key permits quick traceability of Key to Padlock.

Dimple key design provides smooth access & enhanced security. Key retaining facility prevents key loss



NON SPARK BODY



3
Color coded key jackets reduces downtime identifying keys to different color padlocks. Keys can be stocked by color code enabling quick access from Key Cabinets.





The **DUO 2-in-1 non-conductive** shock, rust & weather proof nylon shackle with a Stainless Steel 304 inner core has higher cut resistance than traditional plastic shackles which can be easily destroyed.



DUO 2-in-1

NON-CONDUCTIVE SHACKLE

COMBINES

THE STRENGTH OF
STAINLESS STEEL

&

DI-ELECTRIC PROPERTIES
OF NYLON

**Suitable for both Electrical
& Mechanical LOTO**



LOTO-LOK®



BODY: Tough Nylon PA66 construction. Non-spark, non-conductive, rust & weather body. Stands upto drops. Withstands upto 250 Deg. C temperature, UV & chemical resistant. Optimal in erosive & corrosive environment. Ideal for long term outdoor LOTO.

Name, Numbers or logo customization available.

Cylinder: 6 pin pick resist cylinder, upto 5000 keyed Different combinations in each color 40mm and 80mm shackle lengths.


Glow-in-The-Dark photo luminescent sticker enhances visibility in dark or low light conditions.

Eight colors: Red, Blue, Yellow, Green, Orange, Black, Purple & White.

Key Retaining feature ensures keys cannot be removed until padlocks are closed.

Shackle Material: SS304 (rust and cut resistant) OR Non-Conductive shackle.

KEYS: 2 Unique keys with every Keyed Different (KD) padlock & 1 key with every Keyed Alike (KA) Padlock.



REGULAR SHACKLE DIMENSIONS

Size (mm)	Body Width (mm)	Body Thk. (mm)	Body Length (mm)	Total Height (mm)	Shackle Height (mm)	Shackle Dia. (mm)
40mm	40.00	20.00	48.20	94.20	40.00	5.00

LONG SHACKLE DIMENSIONS

Size (mm)	Body Width (mm)	Body Thk. (mm)	Body Length (mm)	Total Height (mm)	Shackle Height (mm)	Shackle Dia. (mm)
40mm	40.00	20.00	48.20	134.20	80.00	5.00

3PTP[®] PADLOCK KEY SYSTEMS

KEYED DIFFERENT (KD)


Each Keyed Different padlock operates with a unique key ensuring the highest security for the end user.

This means all locks are **uniquely keyed**, a key of one lock will not fit any other lock in the same or different color groups.

Locks have to be destroyed if keys are lost or misplaced.

Each color group in the 3PTP[®] range has up to 5000 unique Key Different combinations.

3PTP[®] padlocks in Keyed Different system come with 2 Unique keys with each padlock.



KEYED ALIKE (KA)

Keyed Alike padlocks operate with a common key, one key opens all locks in the same number group.


Ideal for situations where one employee is authorized for locking out different energy sources during LO/TO operations. One Key opens all locks reducing downtime on maintaining records of different keys.

However "same key" convenience could pose problems if keys can be accessed by other employees as it could compromise individual security.

KA padlocks can be customized per group **OR** color. Groups start from 2 or more padlocks to several hundreds, each KA group operates with a Different Keyed Alike Key.

Specify number of Groups and quantity of locks per group when ordering.

3PTP[®] padlocks in Keyed Alike system come with 1 Key Alike with each padlock.



KEYED DIFFERENT & MASTER KEYED (KD&MK)

Each lock in a KD+MK system is Uniquely Keyed and also has an override Master Key which opens all locks in a particular color group irrespective of the shackle type or length.


This permits organizing master key systems along departmental or other functional lines to allow supervisory or emergency access.

Master Keys are coded per color, making it easier to order spare MK's at a later stage by stating the color of the lock.

Groups of locks with separate Master Keys cannot be generated in the 3PTP® system.

All 3PTP® padlocks in Keyed Different + Master Keyed system come with 2 Unique Keys per padlock as standard.

Master Keys are available in 1 or multiples and ordered separately.




KEYED ALIKE & MASTER KEYED (KA&MK)

Each group of lock in KA+MK system opens with a separate keyed Alike key in the same color range.

A Master key opens all groups of differently keyed Alike locks in the same color.

All 3PTP® padlocks in keyed Alike + Master keyed system come with 1 Key Alike per padlock as standard.

Master Keys are available in 1 or multiples and are ordered separately.





3PTP[®] PADLOCK SELECTION GUIDE

- Padlock selection plays an important role in LOTO Programs.
- The 3PTP[®] padlock range consists of 96 variations comprising color, shackle type, length and key systems.
- Selecting padlocks for different environs and energy sources is easy with the legends providing details of each alphabet / number.
- 8 Colors, 3 Key systems, 2 Shackle types and lengths are defined in the model numbers.

3 → 3

P → POINT

T → TRACEABILITY

P → PADLOCK

R → COLOR: RED

R	B	Y	G	N	O	P	W	BN	GY
Red	Blue	Yellow	Green	Noir (Black)	Orange	Purple	White	Brown	Grey

K
D → KEYED DIFFERENT

K D	K A	K D M K
Keyed Different	Keyed Alike	Keyed Different & Master Keyed

R
4
0 → REGULAR SHACKLE
(40mm Shackle Length
SS304 Grade)


R 4 0	L 8 0	N 4 0	N 8 0
REGULAR SHACKLE (40mm Shackle Length SS304 Grade)	LONG SHACKLE (80mm Shackle Length SS304 Grade)	NON-CONDUCTIVE SHACKLE (40mm Shackle Length)	LONG SHACKLE (80mm Shackle Length)



3PTP[®] PADLOCK MODEL NUMBERS


KEYED DIFFERENT

Color	Shackle: SS304 Grade REGULAR: 40mm Height	Shackle: SS304 Grade LONG: 80mm Height	Shackle: Non Conductive REGULAR: 40mm Height	Shackle: Non Conductive LONG: 80mm Height
	MODEL No.	MODEL No.	MODEL No.	MODEL No.
RED	3TPRKDR40	3TPRKDL80	3TPRKDN40	3TPRKDN80
YELLOW	3TPYKDR40	3TPYKDL80	3TPYKDN40	3TPYKDN80
BLUE	3TPBKDR40	3TPBKDL80	3TPBKDN40	3TPBKDN80
GREEN	3TPGKDR40	3TPGKDL80	3TPGKDN40	3TPGKDN80
ORANGE	3TPOKDR40	3TPOKDL80	3TPOKDN40	3TPOKDN80
NOIR (Black)	3TPNKDR40	3TPNKDL80	3TPNKDN40	3TPNKDN80
PURPLE	3TPPKDR40	3TPPKDL80	3TPPKDN40	3TPPKDN80
WHITE	3TPWKDR40	3TPWKDL80	3TPWKDN40	3TPWKDN80
BROWN	3TPBNKDR40	N/A	N/A	N/A
GREY	3TPGYKDR40	N/A	N/A	N/A



KEYED DIFFERENT + MASTER KEYED


Color	Shackle: SS304 Grade REGULAR: 40mm Height	Shackle: SS304 Grade LONG: 80mm Height	Shackle: Non Conductive REGULAR: 40mm Height	Shackle: Non Conductive LONG: 80mm Height
	MODEL No.	MODEL No.	MODEL No.	MODEL No.
RED	3TPRKDMKR40	3TPRKDMKL80	3TPRKDMKN40	3TPRKDMKN80
YELLOW	3TPYKDMKR40	3TPYKDMKL80	3TPYKDMKN40	3TPYKDMKN80
BLUE	3TPBKDMKR40	3TPBKDMKL80	3TPBKDMKN40	3TPBKDMKN80
GREEN	3TPGKDMKR40	3TPGKDMKL80	3TPGKDMKN40	3TPGKDMKN80
ORANGE	3TPOKDMKR40	3TPOKDMKL80	3TPOKDMKN40	3TPOKDMKN80
NOIR (Black)	3TPNKDMKR40	3TPNKDMKL80	3TPNKDMKN40	3TPNKDMKN80
PURPLE	3TPPKDMKR40	3TPPKDMKL80	3TPPKDMKN40	3TPPKDMKN80
WHITE	3TPWKDMKR40	3TPWKDMKL80	3TPWKDMKN40	3TPWKDMKN80



3PTP[®] PADLOCK MODEL NUMBERS


KEYED ALIKE

Color	Shackle: SS304 Grade REGULAR: 40mm Height	Shackle: SS304 Grade LONG: 80mm Height	Shackle: Non Conductive REGULAR: 40mm Height	Shackle: Non Conductive LONG: 80mm Height
	MODEL No.	MODEL No.	MODEL No.	MODEL No.
RED	3PTPRKAR40	3PTPRKAL80	3PTPRKAN40	3PTPRKAN80
YELLOW	3PTPYKAR40	3PTPYKAL80	3PTPYKAN40	3PTPYKAN80
BLUE	3PTPBKAR40	3PTPBKAL80	3PTPBKAN40	3PTPBKAN80
GREEN	3PTPGKAR40	3PTPGKAL80	3PTPGKAN40	3PTPGKAN80
ORANGE	3PTPOKAR40	3PTPOKAL80	3PTPOKAN40	3PTPOKAN80
NOIR (Black)	3PTPNKAR40	3PTPNKAL80	3PTPNKAN40	3PTPNKAN80
PURPLE	3PTPPKAR40	3PTPPKAL80	3PTPPKAN40	3PTPPKAN80
WHITE	3PTPWKAR40	3PTPWKAL80	3PTPWKAN40	3PTPWKAN80



KEYED ALIKE + MASTER KEYED

Color	Shackle: SS304 Grade REGULAR: 40mm Height	Shackle: SS304 Grade LONG: 80mm Height	Shackle: Non Conductive REGULAR: 40mm Height	Shackle: Non Conductive LONG: 80mm Height
	MODEL No.	MODEL No.	MODEL No.	MODEL No.
RED	3PTPRKAMKR40	3PTPRKAMKL80	3PTPRKAMKN40	3PTPRKAMKN80
YELLOW	3PTPYKAMKR40	3PTPYKAMKL80	3PTPYKAMKN40	3PTPYKAMKN80
BLUE	3PTPBKAMKR40	3PTPBKAMKL80	3PTPBKAMKN40	3PTPBKAMKN80
GREEN	3PTPGKAMKR40	3PTPGKAMKL80	3PTPGKAMKN40	3PTPGKAMKN80
ORANGE	3PTPOKAMKR40	3PTPOKAMKL80	3PTPOKAMKN40	3PTPOKAMKN80
NOIR (Black)	3PTPNKAMKR40	3PTPNKAMKL80	3PTPNKAMKN40	3PTPNKAMKN80
PURPLE	3PTPPKAMKR40	3PTPPKAMKL80	3PTPPKAMKN40	3PTPPKAMKN80
WHITE	3PTPWKAMKR40	3PTPWKAMKL80	3PTPWKAMKN40	3PTPWKAMKN80



3PTP[®] 3 POINT TRACEABILITY PADLOCK




NEW

GREY



Model No.: 3PTPGYKDR40

BROWN




Model No.: 3PTPBNKDR40

**STAINLESS STEEL
(SS304 GRADE)
SHACKLE**

LOTO-LOK[®]

MINI PADLOCKS



COLOR CODING



KEY SYSTEM




SHACKLE TYPE





Keyed Different Model No.

Color	Stainless Steel	Non-Conductive
RED	PD-MNRD-SSKD	PD-MNRD-NSKD
YELLOW	PD-MNYL-SSKD	PD-MNYL-NSKD
BLUE	PD-MNBL-SSKD	PD-MNBL-NSKD
GREEN	PD-MNGN-SSKD	PD-MNGN-NSKD
ORANGE	PD-MNOR-SSKD	PD-MNOR-NSKD
BLACK	PD-MNBK-SSKD	PD-MNBK-NSKD
PURPLE	PD-MNPR-SSKD	PD-MNPR-NSKD
WHITE	PD-MNWH-SSKD	PD-MNWH-NSKD





Keyed Different + Master Keyed Model No.

Color	Stainless Steel	Non-Conductive
RED	PD-MNRD-SSKDMK	PD-MNRD-NSKDMK
YELLOW	PD-MNYL-SSKDMK	PD-MNYL-NSKDMK
BLUE	PD-MNBL-SSKDMK	PD-MNBL-NSKDMK
GREEN	PD-MNGN-SSKDMK	PD-MNGN-NSKDMK
ORANGE	PD-MNOR-SSKDMK	PD-MNOR-NSKDMK
BLACK	PD-MNBK-SSKDMK	PD-MNBK-NSKDMK
PURPLE	PD-MNPR-SSKDMK	PD-MNPR-NSKDMK
WHITE	PD-MNWH-SSKDMK	PD-MNWH-NSKDMK



Keyed Alike Model No.		
Color	Stainless Steel	Non-Conductive
RED	PD-MNRD-SSKA	PD-MNRD-NSKA
YELLOW	PD-MNYL-SSKA	PD-MNYL-NSKA
BLUE	PD-MNBL-SSKA	PD-MNBL-NSKA
GREEN	PD-MNGN-SSKA	PD-MNGN-NSKA
ORANGE	PD-MNOR-SSKA	PD-MNOR-NSKA
BLACK	PD-MNBK-SSKA	PD-MNBK-NSKA
PURPLE	PD-MNPR-SSKA	PD-MNPR-NSKA
WHITE	PD-MNWH-SSKA	PD-MNWH-NSKA



Stainless Steel



Non Conductive



LOQ-IT

ECONOMY *LOTO* PADLOCKS



LOQ-IT

COMPONENTS AND FEATURES



BODY:

Economy lightweight padlock, durable non-conductive spark proof body made of Nylon PA6, Shock, UV and Chemical resistant, withstands deformation and high ambient temperatures from -20 Deg. C + 177 Deg. C.

CYLINDER:

12 pin zinc cylinder, upto 40000 Keyed Different combinations

COLORS:

Red, Blue, Yellow, Green, Orange, Black, Purple, White, Brown & Grey.

SHACKLE MATERIAL & LENGTH:

Chrome plated steel shackle **OR** Non-Conductive plastic shackle.
Available in 38mm and 76mm shackle lengths.


KEYS:

1 Unique key with every Keyed Different (KD) padlock.




★ Name, Numbers or logo customization available.

★ Key Retaining feature ensures keys cannot be removed until padlocks are closed.



REGULAR SHACKLE DIMENSIONS

Body Width (mm)	37.0mm
Body Thk. (mm)	20.0mm
Body Length (mm)	45.0mm
Total Height (mm)	89.0mm
Shackle Height (mm)	38.0mm
Shackle Dia (mm)	6.0mm



LONG SHACKLE DIMENSIONS

Body Width (mm)	37.0mm
Body Thk. (mm)	20.0mm
Body Length (mm)	45.0mm
Total Height (mm)	126.0mm
Shackle Height (mm)	76.0mm
Shackle Dia (mm)	6.0mm

Meets OSHA 29 CFR 1910.147 regulation for Lockout Tagout

1 key per padlock

10 colors

Competitive price

LOQ-IT ECONOMY PADLOCKS SELECTION GUIDE



Ideal for EPC's, MEP and Contracting companies commissioning large scale projects in the Oil & Gas, Utilities and Industrial sectors where substantial quantities of energy sources need to be locked and tagged prior to handover.



Economy lightweight padlock, durable non-conductive spark proof body made of Nylon PA6, Shock, UV and Chemical resistant, withstands deformation and high ambient temperatures from -20 Deg. C + 177 Deg. C.



COLOR CODING



KEY SYSTEM




SHACKLE TYPE & LGTH



KEYED DIFFERENT - 1 UNIQUE KEY PER PADLOCK

Color	REGULAR STEEL SHACKLE (38mm Shackle Length)	LONG STEEL SHACKLE (76mm Shackle Length)	REGULAR NON-CONDUCTIVE SHACKLE (38mm Shackle Length)	LONG NON-CONDUCTIVE SHACKLE (76mm Shackle Length)
	MODEL No.	MODEL No.	MODEL No.	MODEL No.
RED	PD-LQRDKDS38	PD-LQRDKDS76	PD-LQRDKDN38	PD-LQRDKDN76
YELLOW	PD-LQYLKDS38	PD-LQYLKDS76	PD-LQYLKDN38	PD-LQYLKDN76
BLUE	PD-LQBLKDS38	PD-LQBLKDS76	PD-LQBLKDN38	PD-LQBLKDN76
GREEN	PD-LQGNKDS38	PD-LQGNKDS76	PD-LQGNKDN38	PD-LQGNKDN76
ORANGE	PD-LQORKDS38	PD-LQORKDS76	PD-LQORKDN38	PD-LQORKDN76
BLACK	PD-LQBKDS38	PD-LQBKDS76	PD-LQBKDN38	PD-LQBKDN76
PURPLE	PD-LQPRKDS38	PD-LQPRKDS76	PD-LQPRKDN38	PD-LQPRKDN76
WHITE	PD-LQWHKDS38	PD-LQWHKDS76	PD-LQWHKDN38	PD-LQWHKDN76
BROWN	PD-LQBNKDS38	PD-LQBNKDS76	PD-LQBNKDN38	PD-LQBNKDN76
GREY	PD-LQGYKDS38	PD-LQGYKDS76	PD-LQGYKDN38	PD-LQGYKDN76




KEYED DIFFERENT (KD) padlocks cannot be master keyed. If key is lost or misplaced, the padlock has to cut/destroyed.

★ Also available in Master Keyed system - customized on request. Minimum quantities and lead time applies.

KEYED ALIKE - 1 KEY PER LOCK

Color	REGULAR STEEL SHACKLE (38mm Shackle Length)	LONG STEEL SHACKLE (76mm Shackle Length)	REGULAR NON-CONDUCTIVE SHACKLE (38mm Shackle Length)	LONG NON-CONDUCTIVE SHACKLE (76mm Shackle Length)
	MODEL No.	MODEL No.	MODEL No.	MODEL No.
RED	PD-LQRDKAS38	PD-LQRDKAS76	PD-LQRDKAN38	PD-LQRDKAN76
YELLOW	PD-LQYLKAS38	PD-LQYLKAS76	PD-LQYLKAN38	PD-LQYLKAN76
BLUE	PD-LQBLKAS38	PD-LQBLKAS76	PD-LQBLKAN38	PD-LQBLKAN76
GREEN	PD-LQGNKAS38	PD-LQGNKAS76	PD-LQGNKAN38	PD-LQGNKAN76
ORANGE	PD-LQORKAS38	PD-LQORKAS76	PD-LQORKAN38	PD-LQORKAN76
BLACK	PD-LQBKAS38	PD-LQBKAS76	PD-LQBKAN38	PD-LQBKAN76
PURPLE	PD-LQPRKAS38	PD-LQPRKAS76	PD-LQPRKAN38	PD-LQPRKAN76
WHITE	PD-LQWHKAS38	PD-LQWHKAS76	PD-LQWHKAN38	PD-LQWHKAN76
BROWN	PD-LQBNKAS38	PD-LQBNKAS76	PD-LQBNKAN38	PD-LQBNKAN76
GREY	PD-LQGYKAS38	PD-LQGYKAS76	PD-LQGYKAN38	PD-LQGYKAN76



KEYED ALIKE (KA) padlocks can be customized between 2 - 500 pieces in same or different color groups.

LOTO-LOK[®]

ALUMINIUM SAFETY LOCKOUT PADLOCKS

FOOD

PHARMACEUTICALS

OIL & GAS

UTILITIES AND INDUSTRIES



Meets OSHA 29 CFR 1910.147 regulation for Lockout Tagout

2 Keys per padlock

9 Colors

LOTO LOK® ALUMINIUM SAFETY PADLOCKS SELECTION GUIDE

- Aluminium body padlock with SS304 Shackle.
- Ideal for use in Food, Pharmaceuticals, Oil & Gas, Utilities and industries where steam and high temperature furnaces, smelters and boilers applications do not permit the use of plastic padlocks.
- Also suitable for long term outside LOTO in high ambient temperatures and extreme cold where locks made of plastic are incapable of withstanding harsh environmental conditions.
- 2 Keys with each KD (Keyed Different) padlock.
- Key number laser engraved on key & printed on padlock body for easy identification.

COLORS



KEY SYSTEMS



SHACKLE TYPE & LGTH

38

**REGULAR
STAINLESS STEEL SHACKLE**
(38mm Shackle Length)



38

REGULAR STEEL SHACKLE
(38mm Shackle Length)

76


**LONG
STAINLESS STEEL SHACKLE**
(76mm Shackle Length)



76

LONG STEEL SHACKLE
(76mm Shackle Length)


DIMENSIONS



* Long Shackle Padlocks: All dimensions remain the same, except shackle length changes to 76mm

KEYED DIFFERENT

Color	REGULAR STEEL SHACKLE (38mm Shackle Length)	LONG STEEL SHACKLE (76mm Shackle Length)
	MODEL No.	MODEL No.
RED	PD-ALRDKD38	PD-ALRDKD76
YELLOW	PD-ALYLKD38	PD-ALYLKD76
BLUE	PD-ALBLKD38	PD-ALBLKD76
GREEN	PD-ALGNKD38	PD-ALGNKD76
ORANGE	PD-ALORKD38	PD-ALORKD76
BLACK	PD-ALBKKD38	PD-ALBKKD76
PURPLE	PD-ALPRKD38	PD-ALPRKD76
WHITE	PD-ALWHKD38	PD-ALWHKD76
Silver	PD-ALSVKD38	PD-ALSVKD76




KEYED DIFFERENT (KD) padlocks cannot be master keyed. If key is lost or misplaced, the padlock has to cut/destroyed.

★ Also available in Master Keyed system - customized on request. Minimum quantities and lead time applies.

KEYED ALIKE

Color	REGULAR STEEL SHACKLE (38mm Shackle Length)	LONG STEEL SHACKLE (76mm Shackle Length)
	MODEL No.	MODEL No.
RED	PD-ALRDKA38	PD-ALRDKA76
YELLOW	PD-ALYLKA38	PD-ALYLKA76
BLUE	PD-ALBLKA38	PD-ALBLKA76
GREEN	PD-ALGNKA38	PD-ALGNKA76
ORANGE	PD-ALORKA38	PD-ALORKA76
BLACK	PD-ALBKKA38	PD-ALBKKA76
PURPLE	PD-ALPRKA38	PD-ALPRKA76
WHITE	PD-ALWHKA38	PD-ALWHKA76
Silver	PD-ALSVKA38	PD-ALSVKA76



KEYED ALIKE (KA) padlocks can be customized between 2 - 500 pieces in same or different color groups.

LOTO-LOK[®]

CABLE LOCKOUT PADLOCK



Meets OSHA 29 CFR 1910.147 regulation for Lockout Tagout


2 Keys per padlock

8 Colors

LOTO LOK® CABLE LOCKOUT PADLOCK SELECTION GUIDE


KEYED DIFFERENT - 2 KEYS PER LOCK

Color	175 mm Shackle Length
	MODEL No.
RED	WSP-KDR175MM
YELLOW	WSP-KDY175MM
BLUE	WSP-KDB175MM
GREEN	WSP-KDG175MM
ORANGE	WSP-KDO175MM
BLACK	WSP-KDN175MM
PURPLE	WSP-KDP175MM
WHITE	WSP-KDW175MM



KEYED DIFFERENT (KD) padlocks cannot be master keyed. If key is lost or misplaced, the padlock has to be cut/destroyed.

Body Width : 38.0 mm.
Body Height : 45.0 mm.
Cable Diameter : 3.2 mm.
Cable Length : 175.0 mm.



★ Also available in Keyed Alike & Master Keyed system - customized on request. Minimum quantities and lead time applies.



LOTO-LOK[®]

2PTP-STEEL LAMINATED SAFETY LOCKOUT PADLOCKS



2PTP-S PADLOCK FEATURES

1

Tough Steel Laminated Body with chrome plated steel shackles

2

key System & Key nos. laser engraved on padlock body and key permits fast traceability between Padlock & Key, ideal for small or large LO/TO Programs. Additionally, key system is also printed on vinyl sticker for identification initiate appropriate action in the event of lost or misplaced keys.

3

DANGER- DO NOT OPERATE vinyl sticker with printed key System, space for writing owners name and padlock nos. provides clear and visible warning, ideal for LO/TO implementation.

4

Standard 40mm body width comes with 2 Shackle options: 24 and 47mm shackle lengths.

5

Cut resist 6.0mm diameter steel chrome plated shackles.

6

Pick resistant 5 Pin cylinders on all locks.

7


Non-Key Retaining facility.

8

3 Key Systems enables customization of LO/TO Programs to suit different energy sources.


9

Padlocks are fixed with color coded bumpers for customizing different energy sources or team.
Blue, Green, Orange, Black, Purple and White to color code individual or groups of locks to denote energy/team identification.



Dimensions:

Body Width (mm)	Body Height (mm)	Body Thick (mm)	Vertical Clearance (mm)	Shackle Dia (mm)	Total Height (mm)
40.00	33.00	22.50	24.00	6.00	64.00



Dimensions:

Body Width (mm)	Body Height (mm)	Body Thick (mm)	Vertical Clearance (mm)	Shackle Dia (mm)	Total Height (mm)
40.00	33.00	22.50	47.00	6.00	86.50

2PTP-S PADLOCK KEY SYSTEM

KEYED DIFFERENT

Each Keyed Different padlock operates with a unique key ensuring the highest security for the end user.

This means all locks have different key combinations, no two keys are the same and each key is unique to that lock and will not open any other lock.

2PTP-STEEL laminated safety padlocks in Keyed Different system come with 2 Unique keys as standard.

Keyed Different padlocks cannot be Master Keyed, locks have to be destroyed if keys are lost or misplaced.



Bumper Color	Shackle: Steel Chrome Plated SHORT: 24mm Height	Shackle: Steel Chrome Plated LONG: 47mm Height
MODEL No.		MODEL No.
RED	2PTPSRKDS24	2PTPSRKDL47
YELLOW	2PTPSYKDS24	2PTPSYKDL47
BLUE	2PTPSBKDS24	2PTPSBKDL47
GREEN	2PTPSGKDS24	2PTPSGKDL47
ORANGE	2PTPSOKDS24	2PTPSOKDL47
NOIR (Black)	2PTPSNKDS24	2PTPSNKDL47
PURPLE	2PTPSPKDS24	2PTPSPKDL47
WHITE	2PTPSWKDS24	2PTPSWKDL47

KEYED ALIKE


Keyed Alike padlocks operate with a common key, one key opens all locks in the same group.

Standard groups consist of between 2 - 100 padlocks per group.

KA padlocks can be customized to several hundreds, each KA group operates with a Different Keyed Alike Key.

2PTP-STEEL padlocks in Keyed Alike system come with 1 Key Alike per lock as standard.

Key codes are not recorded, spare keys if required should be included with order.



Bumper Color	Shackle: Steel Chrome Plated SHORT: 24mm Height	Shackle: Steel Chrome Plated LONG: 47mm Height
MODEL No.		MODEL No.
RED	2PTPSRKAS24	2PTPSRKAL47
YELLOW	2PTPSYKAS24	2PTPSYKAL47
BLUE	2PTPSBKAS24	2PTPSBKAL47
GREEN	2PTPSGKAS24	2PTPSGKAL47
ORANGE	2PTPSOKAS24	2PTPSOKAL47
NOIR (Black)	2PTPSNKAS24	2PTPSNKAL47
PURPLE	2PTPSPKAS24	2PTPSPKAL47
WHITE	2PTPSWKAS24	2PTPSWKAL47

KEYED DIFFERENT + MASTER KEYED


Each lock in a KD+MK system comes with 2 unique keys per lock and a Master Key opens all locks in a particular batch.

Separately Master Keyed batches can be ordered ranging from 2 - 100 padlocks.

Padlocks over 100 upto 1000 Pcs. per batch operating on a single Master Key can be customized on request.

2PTP-STEEL padlocks in Keyed Different system come with 2 Unique keys as standard. Master Keys are available in 1 or multiples and are ordered separately.

Master Keys available at time of order ONLY as key codes are not recorded.



Bumper Color	Shackle: Steel Chrome Plated SHORT: 24mm Height	Shackle: Steel Chrome Plated LONG: 47mm Height
MODEL No.		MODEL No.
RED	2PTPSRKDMKS24	2PTPSRKDMKL47
YELLOW	2PTPSYKDMKS24	2PTPSYKDMKL47
BLUE	2PTPSBKDMKS24	2PTPSBKDMKL47
GREEN	2PTPSGKDMKS24	2PTPSGKDMKL47
ORANGE	2PTPSOKDMKS24	2PTPSOKDMKL47
NOIR (Black)	2PTPSNKDMKS24	2PTPSNKDMKL47
PURPLE	2PTPSPKDMKS24	2PTPSPKDMKL47
WHITE	2PTPSWKDMKS24	2PTPSWKDMKL47

LOTO-LOK[®] is a registered brand name of LOTO Safety Products DMCC, Dubai (UAE).



LOGO is a registered trademark of LOTO Safety Products DMCC, Dubai (UAE).

3PTP[®] is a registered trademark of LOTO Safety Products DMCC, Dubai (UAE).

3PTP (3 Point Traceability Padlock) are protected by patents in USA, UAE, KSA & EU.

USA Patent No. US D702,103 S

USA Patent No. US D115/2012

KSA Patent No. 2964

EU Design Regn. No.002113423-0001

3PTP[®] denotes 3 Point Traceability Padlock.

2PTP-S denotes 2 Point Traceability Padlock-Steel.

Notes:

LOTO logo, LOTO-LOK[®] & 3PTP[®] brand is the property LOTO Safety Products DMCC, Dubai (UAE). Unauthorized use of brand names or trademarks will result in legal action being pursued.

All images and designs in this brochure is the property of LOTO Safety Products DMCC, Dubai (UAE). Written consent is required from LOTO Safety Products DMCC, Dubai (UAE) for use of images for commercial or other purposes.

Disclaimer:

Upgrading product designs and features is continuous process at LOTO Safety Products DMCC. We reserve sole rights to make changes to any product, brochure or literature without prior notice.

LOTO Safety Products DMCC does everything within its control to ensure all its products are free from defects.

It is the obligation of the owner and/or the equipment operator to carefully read and understand the use of LOTO-LOK[®] Safety lockout padlocks and determine the correct selection.

The components of LOTO-LOK[®] Safety Padlocks are selected for optimum function, durability and appearance, LOTO Safety Products DMCC is not responsible for loss of damage caused by their malfunction or part failure, while operating the padlocks.

LOTO Safety Products DMCC is not responsible for damages to persons or property caused by improper use of padlocks. Damages to persons or property caused by failure of LOTO-LOK[®] safety padlocks to the extent that the law permits, any liability which may be incurred as a result of the use of a product manufactured or sold by LOTO Safety Products DMCC is limited to the cost of repairing or replacing the failed product or component at the discretion of LOTO Safety Products DMCC within the warranty period, and does not extend to any loss or damage which may be caused as a consequence of misuse or failure of the products.

LOTO Safety Products DMCC, its owner(s), its shareholder(s), or its agents shall not in any event be liable for economic loss of profits, indirect, special bodily injuries or consequential damages. By virtue of taking possession of any product marketed by LOTO Safety Products DMCC, the owner and/or the equipment operator agree to the terms of this Disclaimer.





LOCKOUT / TAGOUT SAVES LIVES

Is your facility compliant to
OSHA 29 CFR 1910.147 standard?

**LOTO DEVICES, PADLOCKS AND TAGS FOR
ISOLATION OF HAZARDOUS ENERGY**

**CALL OR MAIL
TO CONDUCT LOTO
ASSESSMENTS AT
YOUR FACILITY**



LOTO SAFETY REQUISITES TRADING L.L.C.

Belresheed Warehouse No.7, Next To Jacky's Electronics, Nad Al Hamar, P.O Box 114738, Dubai - UAE

Tel: +971-4-4539779 E-mail: info@lotosafetyproducts.com www.lotosafetyproducts.com